


**Certificate of Analysis for**

Club 13 Enterprises

8165 State Rd 207

Hastings, FL 32145

Phone: (877) 922-5783



Received: 2/9/2026 @ 18.4 °C

Club13 Miss Piper 75mit Lot: MP-104

Sample ID: 2602454-001**ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 02/10/26**

Aerobic Plate Count	< 10	CFU/g
---------------------	------	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 02/10/26

Total Coliform Bacteria	< 10	CFU/g
-------------------------	------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 02/10/26

Escherichia coli	< 10	CFU/g
------------------	------	-------

GU Pro STEC SLM.2: STEC Salmonella via AOAC PTM 092101 Analyzed 02/10/26

Salmonella spp.	Absent	CFU/25 g	Shiga toxin-producing E. coli	Absent	CFU/25 g
-----------------	--------	----------	-------------------------------	--------	----------

ICPMS.1: Metals via AOAC 2015.01 Modified (ICP/MS) Analyzed 02/13/26

Arsenic (As)	< 0.0200	mg/kg (ppm)	Cadmium (Cd)	< 0.0100	mg/kg (ppm)
Lead (Pb)	< 0.00500	mg/kg (ppm)	Mercury (Hg)	< 0.00500	mg/kg (ppm)

MIT.2: Kratom Alkaloids via AOAC 2017.14 (Modified) Analyzed 02/11/26

Isorhynchophylline	< 7.08	mg/355 mL	Mitragynine	73.3	mg/355 mL
Mitraphylline	69.9	mg/355 mL	Paynantheine	1.63	mg/355 mL
Speciociliatine	< 1.42	mg/355 mL	Speciogynine	< 1.42	mg/355 mL
Total Alkaloids	148	mg/355 mL			

ResSolv.1: Residual Solvents by Headspace GC/MS Analyzed 02/11/26

1,2-Dichloroethane	< 1.00	mg/kg (ppm)	2-Propanol	< 50.0	mg/kg (ppm)
Acetone	< 50.0	mg/kg (ppm)	Acetonitrile	< 50.0	mg/kg (ppm)
Benzene	< 0.500	mg/kg (ppm)	Chloroform	< 1.00	mg/kg (ppm)
Cyclohexane	< 50.0	mg/kg (ppm)	Diethyl ether	< 50.0	mg/kg (ppm)
Ethanol	562	mg/kg (ppm)	Ethyl Acetate	< 50.0	mg/kg (ppm)
Heptane	< 50.0	mg/kg (ppm)	Hexane	< 2.00	mg/kg (ppm)
Methanol	< 50.0	mg/kg (ppm)	Methylene Chloride	< 1.00	mg/kg (ppm)
N,N-Dimethylformamide	< 10.0	mg/kg (ppm)	Pentane	< 50.0	mg/kg (ppm)
Toluene	< 1.00	mg/kg (ppm)	Trichloroethene	< 50.0	mg/kg (ppm)
Xylenes (p-, m-, o-)	< 40.0	mg/kg (ppm)			

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 02/10/26

Staphylococcus aureus	< 10	CFU/g
-----------------------	------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 02/10/26

Yeast and Mold	< 10	CFU/g
----------------	------	-------



Certificate of Analysis for

Club 13 Enterprises

8165 State Rd 207

Hastings, FL 32145

Phone: (877) 922-5783



Received: 2/9/2026 @ 18.4 °C

Club13 Miss Piper 75mit Lot: MP-104

Jake S Hedges

Reported By Jake S Hedges, Operations Manager, 7/30/2026